



PORCELAIN TILE CATALOG

04	SHANTI	78	SUN ONYX
08	BIANCO RIVER	80	MARJINAL
12	ARCTURUSE	84	PIEGATO
16	BIANCO DOLOMITI	88	LAVE
20	MAREA	90	CALACATTA
24	BLUE JEANS	94	FORTUNA
28	CALACATTA GOLDIE	98	STRATO
32	CANYON	102	ALPI
36	BLACK CALACATTA	106	GRASSLAND
38	GAIOS	108	VENATO ONICE
42	CLEOPATRA	112	RIPPLE
46	NOTTE BLUE	114	TIBERWOOD
50	MARTINS MARBLE	116	MILENARIO
54	LARVIK	120	WESTERN
56	PAONAZZO	124	ARK
60	PULPIS	128	CIPOLLINO
64	MARBLE FALLS	132	EPOCH
66	SPACE	136	LAGOM
70	STATUARIO	140	LUNA
74	OPOSTO	146	NOVA



ABOUT US

Our Global Headquarter located in Izmir, has 10,750 square feet of office space as well as 753,000 square feet of warehouse space. In addition to that, Attra has 270,000 square feet of bonded warehouse space along with AEO certificate.

ATTRA is currently being operated with its over 120 dedicated staff, located in Istanbul, Izmir, Mersin, Ankara and Bursa in Turkey; with the support of its own offices in New York & Los Angeles in USA and Toronto in Canada with worldwide agency network.

With 10+ years of market experience, Attra Tile & Stone Inc. is committed to supplying best interior and exterior products that include porcelain, ceramic, natu-

ral stone, mosaics, cut-to-size stone, levelling system and custom made products to meet our customers specifications.

LOGISTICS AND SUPPLY CHAIN

Attra provides manufacturing, product sourcing, warehousing along with door-to-door delivery services to its clients.

By having a strong relationship with the most reputable and reliable steamship lines, stevedores, warehouses and trucking companies in the world, We keep projects on schedule and within budget.

SHANTI

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150







SHANTI

BIANCO RIVER

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150





BIANCO RIVER

ARCTURUSE

MATERIAL

Glazed Porcelain

APPLICATION

Floor & Wall

EDGE FINISH

Rectified

SURFACE FINISH

Polished

THICKNESS

±7mm / ±1/4”

PEI CLASS

PEI 2

ANTI SLIP RATING

-

V CLASS

V3

MOHS CLASS


MOHS 5

FROST RESISTANCE

Resistant

SIZES

- Package information on page 150






ARCTURUSE

BIANCO DOLOMITI

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150





BIANCO DOLOMITI

MAREA

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150







BLUE JEANS

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150





BLUE JEANS

CALACATTA GOLDIE

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150






CALACATTA GOLDIE

CANYON

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150






CANYON

BLACK CALACATTA

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150





GAIOS

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150





GAIOS

CLEOPATRA

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150






CLEOPATRA

NOTTE BLUE

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150







NOTTE BLUE

MARTINS MARBLE

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150





MARTINS MARBLE

LARVIK

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150



PAONAZZO

MATERIAL

Glazed Porcelain

APPLICATION

Floor & Wall

EDGE FINISH

Rectified

SURFACE FINISH

Polished

THICKNESS

±7mm / ±1/4”

PEI CLASS

PEI 2

ANTI SLIP RATING

-

V CLASS

V3

MOHS CLASS


MOHS 5

FROST RESISTANCE

Resistant

SIZES

- Package information on page 150







PAONAZZO

PULPIS

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	R9
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished / Matt	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150
- Anti slip rating only valid only for Matt surface.
- Mohs class only valid for Polished surface.





PULPIS

MARBLE FALLS

MATERIAL

Glazed Porcelain

APPLICATION

Floor & Wall

EDGE FINISH

Rectified

SURFACE FINISH

Polished / Matt

THICKNESS

±7mm / ±1/4”

PEI CLASS

PEI 2

ANTI SLIP RATING

-

V CLASS

V3

MOHS CLASS


MOHS 5

FROST RESISTANCE

Resistant

SIZES

- Package information on page 150





SPACE

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4"	Resistant

SIZES

- Package information on page 150







STATUARIO

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4"	Resistant

SIZES

- Package information on page 150






STATUARIO

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150



SUN ONYX

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150





SUN ONYX


MARJINAL

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	R9
EDGE FINISH	V CLASS
Rectified	V1
SURFACE FINISH	MOHS CLASS
Polished / Matt	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150
- Anti slip rating only valid only for Matt surface.
- Mohs class only valid for Polished surface.

60x120•24x48”	60x60•24x24”	30x60•12x24”
---------------	--------------	--------------





MARJINAL

PIEGATO

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES


- Package information on page 150



MATERIAL	PEI CLASS
Glazed Porcelain	PEI3
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150






LAVE

CALACATTA

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	R9
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished / Matt	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150
- Anti slip rating only valid only for Matt surface.
- Mohs class only valid for Polished surface.






CALACATTA

FORTUNA

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150






FORTUNA

STRATO

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150





MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150





ALPI

GRASSLAND

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 4
APPLICATION	ANTI SLIP RATING
Floor & Wall	R9
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Matt	-
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150




VENATO ONICE

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 4
APPLICATION	ANTI SLIP RATING
Floor & Wall	R9
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Matt	-
THICKNESS	FROST RESISTANCE
±7mm / ±1/4"	Resistant

SIZES

- Package information on page 150





VENATO ONICE



MATERIAL	PEI CLASS
Glazed Porcelain	PEI 2
APPLICATION	ANTI SLIP RATING
Floor & Wall	-
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Polished	MOHS 5
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150



1

2

3

TIBERWOOD

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 3-4
APPLICATION	ANTI SLIP RATING
Floor & Wall	R9
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Matt / Semi Polished	-
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150
- **Avana** and **Natura** color is PEI 4 class.



MILENARIO

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 3
APPLICATION	ANTI SLIP RATING
Floor & Wall	R9
EDGE FINISH	V CLASS
Rectified	V3
SURFACE FINISH	MOHS CLASS
Matt	-
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant

SIZES

- Package information on page 150

20x120•12x48”





Brown



Grey

MILENARIO

WESTERN

MATERIAL

Glazed Porcelain

APPLICATION

Floor & Wall

EDGE FINISH

Rectified

SURFACE FINISH

Matt / Semi Polished

THICKNESS

±7mm / ±1/4”

PEI CLASS

PEI 4

ANTI SLIP RATING

R9

V CLASS

V2

MOHS CLASS

-

FROST RESISTANCE

Resistant

SIZES

- Package information on page 150





ARK

MATERIAL

Glazed Porcelain

APPLICATION

Floor & Wall

EDGE FINISH

Rectified

SURFACE FINISH

Matt / Semi Polished

THICKNESS

±7mm / ±1/4”

BODY

Colorbody

SIZES

- Package information on page 150
- 100x100 • 40x40” size available for **Silver** and **Sand** colors
- 120x180 • 48x72” size available for **Silver**
- R11 available for 100x100 • 40x40” and 60x60 • 24x24” **Anthracite, Silver, Sand** colors



PEI CLASS

PEI 3

ANTI SLIP RATING

R9 -R11

V CLASS


V2

MOHS CLASS

-

FROST RESISTANCE

Resistant





Silver



Anthracite

ARK

CIPOLLINO

MATERIAL

Glazed Porcelain

APPLICATION

Floor & Wall

EDGE FINISH

Rectified

SURFACE FINISH

Sugar Effect

THICKNESS

±7mm / ±1/4”

BODY

Colorbody

SIZES

- Package information on page 150
- Nero color is PEI 3 class.



PEI CLASS

PEI 3-4

ANTI SLIP RATING

R9

V CLASS

V2

MOHS CLASS

-

FROST RESISTANCE

Resistant





Grey

130 Stone & Concrete Effect Porcelains



White

CIPOLLINO

EPOCH

MATERIAL Glazed Porcelain	PEI CLASS PEI 3
APPLICATION Floor & Wall	ANTI SLIP RATING R9
EDGE FINISH Rectified	V CLASS V2
SURFACE FINISH Matt	MOHS CLASS -
THICKNESS ±7mm / ±1/4”	FROST RESISTANCE Resistant
BODY Colorbody	

SIZES

- Package information on page 150





Cotto



Silver


EPOCH

LAGOM

MATERIAL Glazed Porcelain	PEI CLASS PEI 3-4
APPLICATION Floor & Wall	ANTI SLIP RATING R9
EDGE FINISH Rectified	V CLASS V3
SURFACE FINISH Matt	MOHS CLASS -
THICKNESS ±7mm / ±1/4"	FROST RESISTANCE Resistant
BODY Colorbody	

SIZES

- Package information on page 150
- Sand color is PEI 4 class.





Grey



Sand


LAGOM

LUNA

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 3-4-5
APPLICATION	ANTI SLIP RATING
Floor & Wall	R10
EDGE FINISH	V CLASS
Rectified	V2
SURFACE FINISH	MOHS CLASS
Matt / Semi Polished	-
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant
BODY	
Colorbody	

SIZES

- Package information on page 150
- **Offwhite** color is PEI 5 class.
- **Sand** color is PEI 4 class.





Cool Grey



Sand



Copper



Ash

LUNA

NOVA

MATERIAL	PEI CLASS
Glazed Porcelain	PEI 3
APPLICATION	ANTI SLIP RATING
Floor & Wall	R9
EDGE FINISH	V CLASS
Rectified	V2
SURFACE FINISH	MOHS CLASS
Matt	-
THICKNESS	FROST RESISTANCE
±7mm / ±1/4”	Resistant
BODY	
Colorbody	

SIZES

- Package information on page 150





Grey

NOVA

PACKAGING IMPERIAL


PRODUCT			BOX			PALLET			
SIZE	CLASS	THICKNESS	PCS	SQF	LB	BOX PCS	SQF	GROSS LB	PALLET SIZE
24x48"	Glazed Porcelain	7 mm	3	23.25	74.96	30	697.50	2,357	34" x 48" x 30"
12x48"	Glazed Porcelain	7 mm	5	19.37	59.52	40	775	2,452	34" x 48" x 30"
24x24"	Glazed Porcelain	7 mm	6	23.25	77.38	30	697.50	2,410	32" x 48" x 30"
12x24"	Glazed Porcelain	7 mm	9	17.43	46.3	60	1046.25	2,822	32" x 48" x 42"
40x40"	Glazed Porcelain	8 mm	2	21.52	81.57	30	645.83	2,513	28" x 42" x 46"
8x48"	Glazed Porcelain	9 mm	6	15.50	66.14	36	558	2,249	30" x 48" x 30"

PACKAGING METRIC

PRODUCT			BOX			PALLET			
SIZE	CLASS	THICKNESS	PCS	SQM	KG	BOX PCS	SQM	GROSS KG	PALLET SIZE
60 x 120	Glazed Porcelain	7 mm	3	2,16	34	30	64,80	1069	85 x 121 x 76
30 x 120	Glazed Porcelain	7 mm	5	1,8	27	40	72	1112	85 x 121 x 76
60 x 60	Glazed Porcelain	7 mm	6	2,16	35,1	30	64,80	1093	80 x 123 x 78
30 x 60	Glazed Porcelain	7 mm	9	1,62	21	60	97,2	1280	80 x 120 x 105
100 x 100	Glazed Porcelain	8 mm	2	2	37	30	60	1140	70 x 106 x 115
20x120	Glazed Porcelain	9 mm	6	1,44	30	36	51,84	1020	74x121x75



» **Disclaimer:** All imperial measurements provided in this catalog are approximate and are provided for reference purposes only. While we strive to ensure their accuracy, we cannot guarantee their precision due to the nature of imperial units. However, all metric measurements are accurate and reliable. We apologize for any inconvenience this may cause and encourage customers to refer to the metric measurements for the most accurate information.



ATTRA

Tile and Stone

**Attratiles Group Inc.
Canada Office**

810225 Yonge St, Unit R
Suite #150 Richmond Hill,
ON L4C 3B2 Canada

**info@attratiles.com
+1 416 830 2676**

**Attratiles Doğal Taş A.Ş.
Turkey Office**

Alsancak Mah. 1476/1. Sok.
No: 10 Unit:4/43
Sevil 2 Trade Centre
35220 Konak. Izmir. Turkey

**info@attratiles.com
+90 232 463 02 60**

**Attratiles Doğal Taş A.Ş.
Turkey Factory**

Kemalpaşa OSB Mah. Güney
Sanayi Cad. No:25 35730.
Izmir. Turkey

**info@attratiles.com
+90 232 463 02 60**



www.attratiles.com